

- F1348-F1353. <https://doi.org/10.1149/2.0561713jes>
- Jang, Y., Jo, J., Choi, Y.M., Kim, I., Lee, S.H., Kim, D. and Yoon, S.M. (2013), "Activated carbon nano composite electrodes for high performance super capacitors", *Electrochim. Acta.*, **102**, 240-245. <https://doi.org/10.1016/j.electacta.2013.04.020>
- Kim, B.K., Sy, S., Yu, A. and Zhang, J. (2015), *Handbook of Clean Energy Systems*, John Wiley and Sons Ltd.
- Pal, P. and Ghosh, A. (2018), "Highly efficient gel polymer electrolytes for all solid state electrochemical charge storage devices", *Electrochim. Acta*, **278**, 137-148. <https://doi.org/10.1016/j.electacta.2018.05.025>
- Pandey, K., Dwivedi, M.M., Asthana, N., Singh, M. and Agrawal, S.L. (2011), "Structural and ion transport studies in (100-x)PVdF+xNH₄SCN gel electrolyte", *Mater. Sci. Appl.*, **2**(7), 721-728.
- Prabaharan, S.R.S., Vimala, R. and Zainal, Z. (2006), "Nanostructured meso porous carbon acelectrodes for super capacitors", *J. Power Sources*, **161**, 730-736. <https://doi.org/10.1016/j.jpowsour.2006.03.074>
- Priya, W.L.M. and Suthanthiraraj, S.A. (2013), "Preparation and characterization of polymer electrolytes containing poly(vinylidene fluoride-co-hexafluoropropylene) and zinc trifluoromethanesulfonate", *Che. Sci. Trans.*, **2**(4), 1232-1237.
- Rajendran, S., Mahendran, O. and Kannan, R. (2001), "Characterization of [(1-x)PMMA-xPVdF] polymer blend electrolyte with Li⁺ ion", *Fuel*, **81**, 1077-1081. [https://doi.org/10.1016/S0016-2361\(01\)00178-8](https://doi.org/10.1016/S0016-2361(01)00178-8)
- Ranade, A.P., Jung, D.Y., Sammakia, B.G., Eilertsen, T. and Davis, T. (2011), "Optimization study of super capacitor electrode material composition and thickness for enhanced performance of the super capacitor", *Nano Science and Technology Institute*, **1**, 730-733.
- Sharma, J. and Hashmi, S. (2018), "Magnesium ion conducting gel polymer electrolyte nanocomposites : effect of active and passive nanofillers", *Polym. Composites.*, **40**(4), 1295-1306. <https://doi.org/10.1002/pc.24853>
- Sheha, E. (2013), "Prototype system for Mg/TiO₂ anatase batteries", *Int. J. Electrochem. Sci.*, **8**, 3653-3663.
- Song, M.K., Kim, Y.T., Kim, Y.T., Cho, B.W., Popov, B.N. and Rhee, H.W. (2003), "Thermally stable gel polymer electrolytes", *J. Electrochem. Soc.*, **150**(4), A439-A444. <https://doi.org/10.1149/1.1556592>
- Subramanian, V., Luo, C., Stephan, A.M., Nahm, K.S., Thomas, S. and Wei, B. (2007), "Super capacitors from activated carbon derived from banana fibers", *J. Phys. Chem.*, **111**, 7527-7531. <https://doi.org/10.1021/jp067009t>
- Tey, J.P., Careem, M.A., Yarmo, M.A. and Arof, A.K. (2016), "Durian shell based activated carbon electrode for EDLCs", *Ionics*, **22**/7, 1209-1217. <https://doi.org/10.1007/s11581-016-1640-2>
- Tripathi, S.K., Gupta, A., Jain, A. and Kumari, M. (2013), "Electrochemical studies on nanocomposite polymer electrolytes", *Indian J. Pure Appl. Phys.*, **51**, 358-361.
- Wang, Y., Cao, J., Zhou, Y., Ouyang, J.H., Jia, D. and Guo, L. (2012), "Ball milled graphite as an electrode material for high voltage super capacitor in neutral aqueous electrolyte", *J. Electrochem. Soc.*, **159**(5), A579-A583. <https://doi.org/10.1149/2.071205jes>
- Winter, M. and Brodd, R.J. (2004), "What are batteries, fuel cells and super capacitors", *Chem. Rev.*, **104**, 4245-4269. <https://doi.org/10.1021/cr020730k>
- Zhu, Z., Tang, S., Yuan, J., Qin, X., Deng, Y., Qu, R. and Haarberg, G.M. (2016), "Effects of various binders on supercapacitor performances", *Int. J. Electrochem. Sci.*, **11**, 8270-8279. <https://doi.org/10.20964/2016.10.04>